

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

LED Street Light

Name and address of the applicant

Ningbo Kangyan Lighting Electric Co. Ltd
Houyu Industry Area, Liangnong, 315430 Yuyao, Zhejiang, China

Name and address of the manufacturer

Ningbo Kangyan Lighting Electric Co. Ltd
Houyu Industry Area, Liangnong, 315430 Yuyao, Zhejiang, China

Name and address of the factory


Ningbo Kangyan Lighting Electric Co. Ltd
Houyu Industry Area, Liangnong, 315430 Yuyao, Zhejiang, China*When more than one factory*☐ Additional information on page 2

Ratings and principal characteristics

Product data

Ratings: 220-240V~, 50/60Hz, Class II, IP66, see attachment model list in 6216711.50 for more information.

Trademark / Brand (if any)

KANGLIGHT or LUXiFiC
KANGLIGHT or LUXIFIC

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

TOPAZ series and VALE series

Additional information

☒ Additional information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60598-1:2020, IEC 60598-2-3:2002 and
IEC 60598-2-3:2002/AMD1:2011

National differences:

EU Group Differences, EU Special National Conditions

As shown in the Test Report Ref. No.
which forms part of this Certificate

6216711.50

This CB Test Certificate is issued by the National Certification Body

DEKRA Certification B.V.
Meander 1051
6825 MJ Arnhem
Netherlands

Date: 2025-03-26


Signature: Massimiliano Triulzi



Ref. Certif. No.

NL-115552

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

Additional information

Models see details refer to annex page 1 to 2

This CB Test Certificate is issued by the National Certification Body


DEKRA Certification B.V.
Meander 1051
6825 MJ Arnhem
Netherlands

Date: 2025-03-26

 
Signature: Massimiliano Triulzi

ANNEX

Model	Rated power (W)	ta (°C)	Size(mm)	Weight(kg)	Number of LEDs	Mounting height (m)	Projected area(m ²)	the torque setting in newton metres to be applied to any bolts or screws which fix the luminaire to its support.
TOPAZ series	8 - 110	45 for 8 - 110 W 50 for 8 - 100 W 55 for 8 - 80 W	400*400*820	7-15	8 - 72	3-12	0,25	13 Nm
VALE series	8 - 120	45 for 8 - 120 W 50 for 8 - 100 W 55 for 8 - 80 W	450*450*700	7-15	8 - 96	3-12	0,21	13 Nm



ANNEX

